

L Number	Hits	Search Text	DB	Time stamp
1	1	(forward near3 voltage) and (forward near3 current) and 372/9.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 05:59
2	0	(forward near3 voltage) and (forward near3 current) and 372/29.014.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 05:59
3	3	(forward near3 voltage) and (forward near3 current) and 372/29.015.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 06:05
4	3	(forward near3 voltage) and (forward near3 current) and 372/29.02.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 06:14
5	0	(forward near3 voltage) and (forward near3 current) and 372/29.021.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 06:14
6	11	(forward near3 voltage) and (forward near3 current) and 372/34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 06:20
7	5	(forward near3 voltage) and (forward near3 current) and 372/31.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 06:23
8	6	(forward near3 voltage) and (forward near3 current) and 372/32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 06:34
9	6	(forward near3 voltage) and (forward near3 current) and 372/36.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 06:37
10	17	(forward near3 voltage) and (forward near3 current) and 372/43.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 06:59
11	8	(forward near3 voltage) and (forward near3 current) and 372/38.07.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 07:39
15	1	(forward near3 voltage) and (forward near3 current) and 250/354.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 07:40
16	19	(forward near3 voltage) and (forward near3 current) and 374/178.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/14 07:40
-	5	372/29.02.ccls. and (forward near (voltage or current))	USPAT; US-PGPUB	2003/01/23 13:05
-	350	(forward near voltage) and (forward near current) and stabili\$6	USPAT; US-PGPUB	2003/01/23 14:13
-	76	((forward near voltage) and (forward near current) and stabili\$6) and (output near power)	USPAT; US-PGPUB	2003/01/23 13:31
-	29	((forward near voltage) and (forward near current) and stabili\$6) and (output near power)) and (led or (laser near diode))	USPAT; US-PGPUB	2003/01/23 13:10
-	24	((forward near voltage) and (forward near current) and stabili\$6) and 372/\$.ccls.	USPAT; US-PGPUB	2003/01/23 13:32
-	199	(forward near voltage) and (forward near current) and temperature and (led or (laser near diode))	USPAT; US-PGPUB	2003/01/23 14:15
-	19	((forward near voltage) and (forward near current) and temperature and (led or (laser near diode))) and 372/\$.ccls.	USPAT; US-PGPUB	2003/01/23 14:19

-	111	(determin\$3 near (forward adj voltage))	USPAT; US-PGPUB	2003/01/23 14:21
-	1	((determin\$3 near (forward adj voltage))) and 372/\$.ccls.	USPAT; US-PGPUB	2003/01/23 14:22
-	16	((determin\$3 near (forward adj voltage))) and (led or (laser near diode))	USPAT; US-PGPUB	2003/01/23 14:22
-	158	372/29.021.ccls.	USPAT; US-PGPUB	2003/05/20 10:10
-	0	372/29.021.ccls. and (laser near didoe)	USPAT; US-PGPUB	2003/05/20 10:10
-	63	372/29.021.ccls. and (laser near diode)	USPAT; US-PGPUB	2003/05/20 10:34
-	7	372/29.021.ccls. and (forward near (voltage or current))	USPAT; US-PGPUB	2003/05/20 10:36
-	4	(372/29.021.ccls. and (laser near diode)) and (372/29.021.ccls. and (forward near (voltage or current)))	USPAT; US-PGPUB	2003/05/20 10:11
-	74	372/29.021.ccls. and ((laser near diode) or (led) or (light adj emitting adj diode))	USPAT; US-PGPUB	2003/05/20 10:42
-	0	372/29.021.ccls. and (forward near voltage) and (forward near current)	USPAT; US-PGPUB	2003/05/20 11:09
-	396	(forward near voltage) and (forward near current) and ((laser near diode) or (led) or (light adj emitting adj diode))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 10:44
-	34	((forward near voltage) and (forward near current) and ((laser near diode) or (led) or (light adj emitting adj diode))) and (output near power) and stabili\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 10:47
-	222	(forward near voltage) near (forward near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 11:10
-	35	((forward near voltage) near (forward near current)) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/20 11:10
-	2	(372/29.021.ccls. and ((laser near diode) or (led) or (light adj emitting adj diode))) and (forward near current)	USPAT; US-PGPUB	2003/05/20 11:56
-	657	diode and (forward near bias near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:39
-	1	(measur\$4 near forward near voltage) and (diode and (forward near bias near current))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:37
-	49	(temperature near compensa\$4) and (diode and (forward near bias near current))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:40
-	303	detect\$3 and (diode and (forward near bias near current))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:40
-	4658	diode and (forward near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:40
-	10539	diode and (forward near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:40
-	759	(temperature near compensa\$4) and (diode and (forward near voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:40

-	4548	detect\$3 and (diode and (forward near voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:41
-	1318	(output near power) and (diode and (forward near voltage))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:43
-	195	((output near power) and (diode and (forward near voltage))) and (forward near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:44
-	12	((output near power) and (diode and (forward near voltage))) and (forward near current)) and photodetect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:46
-	0	((output near power) and (diode and (forward near voltage))) and (forward near current)) and photodetect\$3) and 372/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:45
-	34	((output near power) and (diode and (forward near voltage))) and (forward near current)) and sensor	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:46
-	1	((output near power) and (diode and (forward near voltage))) and (forward near current)) and (output near power near detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:49
-	1	(forward near voltage) and (forward near current) and (output near power near detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:51
-	79	(laser near diode) and (forward near voltage) and (forward near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:53
-	7	((laser near diode) and (forward near voltage) and (forward near current)) and ((temperature and varia\$4) or (variable near temperature))) and 372/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 09:55
-	30	((laser near diode) and (forward near voltage) and (forward near current)) and ((temperature and varia\$4) or (variable near temperature))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 13:48
-	6	"09459165"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 13:50
-	1	("6370174").PN.	USPAT; US-PGPUB	2003/05/21 13:55
-	1	("6532247").PN.	USPAT; US-PGPUB	2003/05/21 14:03
-	5	("6539042") or ("6414979") or ("6442181") or ("6529531") or ("6539046").PN.	USPAT; US-PGPUB	2003/05/21 14:31
-	23	mgf and ("4khz" or "4000") and window\$1	USPAT; US-PGPUB	2003/05/21 14:32
-	6	(mgf and ("4khz" or "4000") and window\$1) and laser	USPAT; US-PGPUB	2003/05/21 14:33
-	4	((mgf and ("4khz" or "4000") and window\$1) and laser) and mj	USPAT; US-PGPUB	2003/05/21 15:38
-	2	"6539042"	USPAT; US-PGPUB	2003/05/21 15:38
-	6	("6539042") or ("6442181") or ("6381257") or ("6539046") or ("6370174") or ("6556612").PN.	USPAT; US-PGPUB	2003/05/21 16:55
-	18	("4000" near pulse\$1) or (4khz)) and ("10" near mj) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:03

-	5	((("4000" near pulse\$1) or (4khz)) and ("10" near mj) and laser and window\$1 ) and (caf or mgf)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:04
-	14	((("4000" near pulse\$1) or (4khz)) and ("10" near mj) and laser and window\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:10
-	19	(high near (repetition or rate)) and chamber and window\$1 and laser and (caf or mgf)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:21
-	33	(chamber near window\$1) and (excimer near laser) and (mgf or (magnesium near fluoride))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:30
-	5	((chamber near window\$1) and (excimer near laser) and (mgf or (magnesium near fluoride))) and pulse\$1 and "4000"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:23
-	380	(chamber near window\$1 near (mgf or (magnesium near fluoride))) and (excimer near laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:30
-	0	(chamber near window\$1 near (mgf or (magnesium near fluoride))) and (excimer near laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:31
-	0	((chamber near window\$1) near (mgf or (magnesium near fluoride))) and (excimer near laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:32
-	0	((chamber near window\$1) near (mgf or (magnesium near fluoride))) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:32
-	23	((window\$1) near (mgf or (magnesium near fluoride))) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:33
-	2	((window\$1) near (mgf or (magnesium near fluoride))) and laser and ("4000" or "4khz")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:35
-	1	((window\$1) near (caf or (calcium near fluoride))) and laser and ("4000" or "4khz")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:36
-	68	((window\$1) and (caf or (calcium near fluoride))) and laser and ("4000" or "4khz")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:37
-	18	((chamber and window\$1) and (caf or (calcium near fluoride))) and excimer adj laser and ("4000" or "4khz")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:45
-	5	((chamber and window\$1) and (mgf or (magnesium near fluoride))) and excimer adj laser and ("4000" or "4khz")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/21 17:45
-	691	measur\$4 and (forward near voltage) and (forward near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 12:50
-	124	(measur\$4 and (forward near voltage) and (forward near current)) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 12:51

-	103	((measur\$4 and (forward near voltage) and (forward near current)) and laser) and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 12:51
-	81	((((measur\$4 and (forward near voltage) and (forward near current)) and laser) and temperature) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 12:52
-	22	(((((measur\$4 and (forward near voltage) and (forward near current)) and laser) and temperature) and power) and (memory or processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 13:01
-	158	372/29.021.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 13:02
-	0	372/29.021.ccls. and (forward near voltage) and (forward near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 13:02
-	0	372/29.021.ccls. and (forward near voltage) and (forward near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 13:03
-	3	372/29.021.ccls. and (forward near voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 13:03
-	4	372/29.021.ccls. and (forward near current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 13:24
-	1	("5479425").PN.	USPAT; US-PGPUB	2003/05/22 14:12
-	0	("((determin\$3 or measur\$4) with ((forward near voltage) or (forward near current)))").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:14
-	1394	((determin\$3 or measur\$4) with ((forward near voltage) or (forward near current)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:16
-	2948	((determin\$3 or measur\$4) same ((forward near voltage) or (forward near current)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:15
-	297	((determin\$3 or measur\$4) near ((forward near voltage) or (forward near current)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:20
-	120	((determin\$3 or measur\$4) with ((forward near voltage) and (forward near current)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:16
-	242	((determin\$3 or measur\$4) same ((forward near voltage) and (forward near current)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:17
-	5	((determin\$3 or measur\$4) near ((forward near voltage) and (forward near current)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:17
-	6	((((determin\$3 or measur\$4) near ((forward near voltage) or (forward near current)))) and 372/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:21

-	22	(((determin\$3 or measur\$4) near ((forward near voltage) or (forward near current)))) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:23
-	30	(((determin\$3 or measur\$4) with ((forward near voltage) and (forward near current)))) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 14:25
-	48	(((determin\$3 or measur\$4) same ((forward near voltage) and (forward near current)))) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 15:57
-	1128	(forward near voltage) and analog and digital and process\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:01
-	190	((forward near voltage) and analog and digital and process\$3) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 15:59
-	133	(((forward near voltage) and analog and digital and process\$3) and laser) and measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:04
-	5	(((forward near voltage) and analog and digital and process\$3) and laser) and measur\$5) and 372/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:00
-	21191	(current near voltage) and analog and digital	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:02
-	709	(forward near current) and analog and digital	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:03
-	681	((forward near current) and analog and digital ) and control\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:03
-	132	(((forward near current) and analog and digital ) and control\$4) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:03
-	741	((forward near voltage) and analog and digital and process\$3) and measur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:04
-	133	(((forward near voltage) and analog and digital and process\$3) and measur\$5) and laser	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:04
-	21	(((forward near current) and analog and digital ) and control\$4) and laser) and (((forward near voltage) and analog and digital and process\$3) and measur\$5) and laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/05/22 16:04
-	1	("5441280").PN.	USPAT; US-PGPUB	2003/12/12 13:52
-	1	("5414280").PN.	USPAT; US-PGPUB	2003/12/12 13:52